

Stylus Tapes Single Sided Foam Tape Application Guide - August 2020

This application information is given in good faith for guidance purposes only to assist in the correct choice of foam for its intended use and not specification purposes. The Purchaser & End User shall be responsible for determining the suitability of a product for their intended application/s.		Acoustic & Sound Insulations	Ageing	Air Sealing	Compression Set	Conformability	Die Cutting Ability	Flammability	Low Temperature	High Temperature	Dilute Acid Resistance	Dilute Alkalis Resistance	Ozone Resistance	Solvent Resistance	UV Resistance	Vibration Dampening	Resistance to Water Absorption	Resistance to swell in presence of oil & petrol	Water Sealing	Reach Certified	RoHS Compliant
3200 Series	PVC Foams	B	A	B	C	B	B	B	C	C	B	B	A	C	C	C	B	C	B	YES	YES
3800 Series	Polyethylene Foams	C	A	B	B	B	A	C	A	B	A	A	B	A	C	B	A	B	B	YES	YES
6100 Series	Neoprene Foams	B	B	A	A	A	A	B	B	C	B	B	B	C	B	A	A	B	A	YES	YES
6200 Series	EPDM Foams	A	A	A	A	A	A	C	B	B	B	B	A	C	A	A	A	C	A	YES	YES
7100 Series	Polyurethane Foams	B	C	D	D	B	B	B	C	B	B	B	B	B	D	D	D	B	D	YES	YES
8100 Series	PVC/Nitrile Foams	B	B	B	B	B	B	B	B	C	B	B	B	B	B	B	B	C	B	YES	YES
9100 Series	Polyethylene Foams	C	A	A	B	B	A	C	A	B	A	A	B	A	C	B	A	B	A	YES	YES

CLASSIFICATION CODE:



EXCELLENT



GOOD



AVERAGE



POOR



Head Office

Sydney

Ph: (02) 9632-9400

Fx: (02) 9632-9433

E: sales@stylustapes.com.au

Web: www.stylustapes.com.au

Adelaide

Ph: (08) 8241 5239

E: sa@stylustapes.com.au

Melbourne

Ph: (03) 9783 0122

E: vic@stylustapes.com.au

Brisbane

Ph: (07) 3273 3211

E: qld@stylustapes.com.au

Perth

Ph: (08) 9303 4160

E: wa@stylustapes.com.au